

NOVO

2025





SD-T001-30CCT-BK/WH

Type: LED track light, 3 phase, 4 wire

Dimensions: $\phi 77 \times 178$

Color: Black/White

Power: 30W

3000-6500K, CCT

AC220-240V, 50/60Hz



LED-Track-TLKB-20 3000K

Type: LED linear track light, 3 phase, 4 wire, IP20

Dimensions: 611mm

Color: Black

Life time: 30,000 h

Beam angle: 100°

AC220-240V, 20W, 1600lm, 3000K



LED-Track-TLKB-20 4000K

Type: LED linear track light, 3 phase, 4 wire, IP20

Dimensions: 611mm

Color: Black

Life time: 30,000 h

Beam angle: 100°

AC220-240V, 20W, 1600lm, 4000K



LED-Track-TLKC-20 3000K

Type: LED linear track light, 3 phase, 4 wire, IP20

Dimensions: 611mm

Color: Black

Life time: 30,000 h

Beam angle: 36°

AC220-240V, 20W, 2000lm, 3000K



LED-Track-TLKC-20 4000K

Type: LED linear track light, 3 phase, 4 wire, IP20

Dimensions: 611mm

Color: Black

Life time: 30,000 h

Beam angle: 36°

AC220-240V, 20W, 2000lm, 4000K





LED-BL-FMYC15SY-B82

Type: LED bulkhead with PIR sensor

Detection distance: max 10m

Duty time: 10s - 5min (adjustable)

Dimension: 220*220*78mm

Material, color: PC housing anthracite, PC diffuser white

Life time: 30,000 h

Color temperature: 3000/4000/6500K changeable

Beam angle: 110°, **Detection angle:** 120°

AC220-240V, 15W, 1500lm, IP65, IK8



LED-BL-FMYC15SY

Type: LED bulkhead

Dimension: 220*220*68mm

Material, color: PC housing anthracite, PC diffuser white

Life time: 30,000 h

Color temperature: 3000/4000/6500K changeable

Beam angle: 110°

AC220-240V, 15W, 1500lm, IP65, IK10



LED-BL-FMTC15SY-B82

Type: LED bulkhead with PIR sensor

Detection distance: max 10m

Duty time: 10s - 5min (adjustable)

Dimension: 212*122*71mm

Material, color: PC housing anthracite, PC diffuser white

Life time: 30,000 h

Color temperature: 3000/4000/6500K changeable

Beam angle: 110°, **Detection angle:** 120°

AC220-240V, 15W, 1500lm, IP65, IK8



LED-BL-FMTC15SY

Type: LED bulkhead

Dimension: 212*122*61mm

Material, color: PC housing anthracite, PC diffuser white

Life time: 30,000 h

Color temperature: 3000/4000/6500K changeable

Beam angle: 110°

AC220-240V, 15W, 1500lm, IP65, IK10





LED-MR111-3W-38° 3000K

Type: GU10 LED bulb

Dimension: 35*47mm

Life time: 20,000 h

Color temperature: 3000K

Beam angle: 38°

AC220-240V, 3W, 300lm, IP65, IK8



LED-MR111-3W-38° 4000K

Type: GU10 LED bulb

Dimension: 35*47mm

Life time: 20,000 h

Color temperature: 4000K

Beam angle: 38°

AC220-240V, 3W, 300lm, IP65, IK8



91211-S (SENSOR)

Type: LED wall lamp with PIR sensor

Dimension: 145*102*175mm

Color: Anthracite grey

Color temperature: 3000/4000/6000K changeable

AC220-240V, 10W, 1200lm, IP54



91217-S (SENSOR)

Type: LED wall lamp with PIR sensor

Dimension: 290*145*102mm

Color: White

Color temperature: 3000/4000/6000K changeable

AC220-240V, 18W, 1200lm, IP54



YD006-BL BLACK

Type: Bottle lamp

Dimensions: 110*110*90mm

Material: Iron, IP44

Color: Black

Switch: Touch switch, dimmable

Battery: 1*1800mAh Li-ion

Charging time: 2.5h / **Working time:** 3.5h

2W, 200lm, 3000/4000/5000K





FY-WA369-35-BK

Type: Wall lamp

Dimension: D35cm

Material: Aluminium

Color: sand black interior, sand black exterior, sand black decor disc

Canopy: D80xH50mm
LED 5W



FY-WA369-35-WH

Type: Wall lamp

Dimension: D35cm

Material: Aluminium

Color: sand white interior, sand white exterior, sand white decor disc

Canopy: D80xH50mm
LED 5W



FY-WA369-35-GD

Type: Wall lamp

Dimension: D35cm

Material: Aluminium

Color: polished gold interior, sand black exterior, sand black decor disc

Canopy: D80xH50mm
LED 5W



FY-WA371-50-GD

Type: Wall lamp


Dimension: D50cm

Material: Aluminium

Color: polished gold interior, sand black exterior, sand black decor disc

Canopy: D80xH50mm
LED 5W





FY-WA371-50-CP

Type: Wall lamp

Dimension: D50cm

Material: Aluminium

Color: polished copper interior, sand black exterior, sand black decor disc

Canopy: D80xH50mm
LED 5W



FY-WA371-50-AC

Type: Wall lamp

Dimension: D50cm

Material: Aluminium

Color: antique copper interior, sand black exterior, sand black decor disc

Canopy: D80xH50mm
LED 5W



FY-WL419-35-BK

Type: Wall lamp

Dimension: D35cm

Material: Felt

Color: Mixed black interior, mixed black exterior, sanded black decor disc

Canopy: D80xH50mm
LED 5W



FY-WL419-35-OG

Type: Wall lamp


Dimension: D35cm

Material: Felt

Color: Orange interior, mixed black exterior, sanded black decor disc

Canopy: D80xH50mm
LED 5W





FY-WL420-OG

Type: Wall lamp

Dimension: D40cm

Material: Felt

Color: Orange, sand black decor disc
LED 5W




FY-WL420-BK

Type: Wall lamp

Dimension: D40cm

Material: Felt

Color: Black, sand black decor disc
LED 5W



FY-WL420-GY

Type: Wall lamp

Dimension: D40cm

Material: Felt

Color: Grey, sand black decor disk
LED 5W



FY-WL420-OGN

Type: Wall lamp

Dimension: D40cm

Material: Felt

Color: Olive green, sand black decor disk
LED 5W







FY-PEA331-50-CP

Type: Pendant lamp
Dimension: D500xH371mm
Material: Aluminium
Color: Polished copper
Cable: Black PVC, 1.5m
Canopy: D120xH55mm, polished copper
 LED 12W, 3000K, driver non-dimmable



FY-PEA331-50-AC

Type: Pendant lamp
Dimension: D500xH371mm
Material: Aluminium
Color: Antique copper
Cable: Black PVC, 1.5m
Canopy: D120xH55mm, antique copper
 LED 12W, 3000K, driver non-dimmable



FY-FE419-45-BKGY

Type: Pendant lamp
Dimension: D450xH150mm
Material: Felt
Color: Grey interior, mixed black exterior, sand black decor disk
Cable: Black PVC, 1.5m
Canopy: D55xH90mm, black
 LED 12W, driver non-dimmable



FY-FE419-45-BKOG

Type: Pendant lamp
Dimension: D450xH150mm
Material: Felt
Color: Orange interior, mixed black exterior, sand black decor disk
Cable: Black PVC, 1.5m
Canopy: D55xH90mm, black
 LED 12W, driver non-dimmable





FY-PEA364-35-CP

Type: Pendant lamp
Dimension: D350xH420mm
Material: Aluminium
Color: Polished copper
Cable: Black PVC, 1.5m
Canopy: D120xH75mm, polished copper
 1xE27, without bulb



FY-PEA364-35-AC

Type: Pendant lamp
Dimension: D350xH420mm
Material: Aluminium
Color: Antique copper
Cable: Black PVC, 1.5m
Canopy: D120xH75mm, antique copper
 1xE27, without bulb



FY-PEA364-55-CP

Type: Pendant lamp
Dimension: D550xH340mm
Material: Aluminium
Color: Polished copper
Cable: Black PVC, 1.5m
Canopy: D120xH70mm, polished copper
 1xE27, without bulb



FY-PEA364-55-AC

Type: Pendant lamp
Dimension: D550xH340mm
Material: Aluminium
Color: Antique copper
Cable: Black PVC, 1.5m
Canopy: D120xH70mm, antique copper
 1xE27, without bulb



FY-PEA386-7-BK

Type: Pendant lamp

Dimension: D76xH600mm

Material: Aluminium

Color: Sand black interior and exterior

Cable: Black PVC, 1.5m

Canopy: D80xH60mm, black
LED 5W, driver non-dimmable



FY-PEA386-7-OGN

Type: Pendant lamp

Dimension: D76xH600mm

Material: Aluminium

Color: Olive green interior and exterior

Cable: Black PVC, 1.5m

Canopy: D80xH60mm, olive green
LED 5W, driver non-dimmable



FY-PEA386-7-CBN

Type: Pendant lamp

Dimension: D76xH600mm

Material: Aluminium

Color: Candle brown interior and exterior

Cable: Black PVC, 1.5m

Canopy: D80xH60mm, candle brown
LED 5W, driver non-dimmable



FY-PEA386-7-EYW

Type: Pendant lamp

Dimension: D76xH600mm

Material: Aluminium

Color: Earth yellow interior and exterior

Cable: Black PVC, 1.5m

Canopy: D80xH60mm, earth yellow
LED 5W, driver non-dimmable





FY-PEA369-50-BK

Type: Pendant lamp

Dimension: D500xH234mm

Material: Aluminium, iron shade

Color: Sand black interior and exterior

Cable: Black PVC, 1.5m

Canopy: D120xH55mm, black

LED 12W, Samsung chip, driver non-dimmable



FY-PEA369-50-AB

Type: Pendant lamp

Dimension: D500xH234mm

Material: Aluminium, iron shade

Color: Antique brass interior and exterior

Cable: Black PVC, 1.5m

Canopy: D120xH55mm, antique brass

LED 12W, Samsung chip, driver non-dimmable



FY-PEA369-50-AC

Type: Pendant lamp

Dimension: D500xH234mm

Material: Aluminium, iron shade

Color: Antique copper interior and exterior

Cable: Black PVC, 1.5m

Canopy: D120xH55mm, antique copper

LED 12W, Samsung chip, driver non-dimmable



FY-PEA373-BKCP

Type: Pendant lamp

Dimension: D300xH270mm

Material: Aluminium

Color: Sand black interior and exterior

Cable: Black PVC, 1.5m

Canopy: D120xH55mm, black

1xE27, without bulb



FY-PEA397-50-BK

Type: Pendant lamp
Dimension: D500xH550mm
Material: Aluminium, iron shade
Color: Sand black interior and exterior
Cable: Black PVC, 1.5m
Canopy: D120xH55mm, black
 LED 12W, Samsung chip, driver non-dimmable



FY-PEA397-50-GD

Type: Pendant lamp
Dimension: D500xH550mm
Material: Aluminium, iron shade
Color: Polished gold interior and exterior
Cable: Black PVC, 1.5m
Canopy: D120xH55mm, polished gold
 LED 12W, Samsung chip, driver non-dimmable



FY-PEA397-50-AC

Type: Pendant lamp
Dimension: D500xH550mm
Material: Aluminium, iron shade
Color: Antique copper interior and exterior
Cable: Black PVC, 1.5m
Canopy: D120xH55mm, antique copper
 LED 12W, Samsung chip, driver non-dimmable







YB2411101-1C-E27

Type: Ceiling lamp

Dimension: Ø380*100mm (lamp shade)
Ø380*180mm (complete fixture)

Material: Metal in black, handmade natural paper lampshade
1xE27, without bulb



YB2411101-1P-E27

Type: Pendant lamp

Dimension: Ø580*145mm (lamp shade)
Ø580*1200mm (complete fixture)

Material: Metal in black, handmade natural paper lampshade
1xE27, without bulb



YB2411102-1P-E27

Type: Pendant lamp

Dimension: Ø580*245mm (lamp shade)
Ø580*1200mm (complete fixture)

Material: Metal in black, handmade natural paper lampshade
1xE27, without bulb



L8A231102-1TW--E14

Type: Table lamp

Dimension: D180*H200mm

Material: Metal + paper yarn, painted finishing

Cable: 1.6m wire VDE standard

Switch: ON/OFF

1xE27, max 40W, without bulb





YB2411103-1S-E14

Type: Spot lamp

Dimension: 14*7*16cm

Material: Metal in black, handmade natural paper lampshade,
base with metal deco plate
1xE14, without bulb



YB2411103-2S-E14

Type: Spot lamp

Dimension: 25*15*12cm

Material: Metal in black, handmade natural paper lampshade,
base with metal deco plate
2xE14, without bulbs



YB2411103-3S-E14

Type: Spot lamp

Dimension: 40*15*12cm

Material: Metal in black, handmade natural paper lampshade,
base with metal deco plate
3xE14, without bulbs



YB230979-1TW--E27

Type: Table lamp

Dimension: Ø200*400mm

Material: Hemp rope + fabric, painted finishing

Cable: 1.6M wire, VDE standard

Switch: ON/OFF

1xE27, max 40W, without bulb



Type: Ceiling lamp

Dimension: D400xH1200mm

Material: Metal in black, handmade 2pcs natural paper lampshade
1xE27, without bulb

YB2411103-1C-E27



Type: Pendant lamp

Dimension: D40xH120cm

Material: Metal in black, handmade 2pcs natural paper lampshade
1xE27, without bulb

YB2411103-1P-E27



Type: Floor lamp

Dimension: D35xH140cm

Material: Metal in black, handmade natural paper

Cable: 1.8m black cable

Switch: ON/OFF on cable

1xE27, without bulb

YB2411104A-1F-E27



Type: Pendant lamp

Dimension: D30x120cm

Material: Metal in black, handmade paper beige lampshade

1xE27, max 40W, without bulb

YB2411104-1P-E27



YB2411109M-1C-E27

Type: Ceiling lamp

Dimension: D50cx15cm

Material: Metal in black, strap iron lampshade
1xE27, without bulb



YB2411109M-1P-E27

Type: Pendant lamp

Dimension: D50*H120cm

Material: Metal in black, strap iron lampshade
1xE27, without bulb



YB2411105-1P-E27

Type: Pendant lamp

Dimension: D60xH100cm

Material: Metal in black, iron wire lampshade with
handmade natural rattan
1xE27, without bulb



YB2411108-4P-E27

Type: Pendant lamp

Dimension: D80xH140cm (without bulb size)

Material: Metal in black, natural wood tube
hemp rope cable
4xE27, max 40W, without bulb



YB2411107-3C-E27

Type: Ceiling/pendant lamp

Dimension: D53*H120cm (without bulb size)

Material: Metal in black, hemp rope cable

Cable: 1m hemp rope
3xE27, without bulb



YB2411107-5C-E27

Type: Ceiling/pendant lamp

Dimension: D53*H120cm (without bulb size)

Material: Metal in black, hemp rope cable

Cable: 1m hemp rope
5xE27, without bulb







P-TUBO 30

Type: Pendant lamp
Dimension: Ø5.5 x H30cm
Material: Aluminium, IP20
Colors: Brass, bronze, sand black, sand white
Canopy: Ø10cm
Cable: 2m
 1xGU10, without bulb



P-TUBO 40

Type: Pendant lamp
Dimension: Ø5.5 x H40cm
Material: Aluminium, IP20
Colors: Brass, bronze, sand black, sand white
Canopy: Ø10cm
Cable: 2m
 1xGU10, without bulb



P-TUBO 60

Type: Pendant lamp
Dimension: Ø5.5 x H60cm
Material: Aluminium, IP20
Colors: Brass, bronze, sand black, sand white
Canopy: Ø10cm
Cable: 2m
 1xGU10, without bulb



TRACK MINIMO 3P WH

Type: Track light

Dimension: Ø39x77mm

Material: Aluminium, IP20

Color: Sand white

BJB Switch included

Three-phase track

Mini 1xGU10 LED bulb, without bulb



TRACK MINIMO 3P BK

Type: Track light

Dimension: Ø39x77mm

Material: Aluminium, IP20

Color: Sand black

BJB Switch included

Three-phase track

Mini 1xGU10 LED bulb, without bulb



TRACK MINIMO 3P BRASS

Type: Track light

Dimension: Ø39x77mm

Material: Aluminium, IP20

Color: Brass

BJB Switch included

Three-phase track

Mini 1xGU10 LED bulb, without bulb



TRACK MINIMO 3P BRONZE

Type: Track light

Dimension: Ø39x77mm

Material: Aluminium, IP20

Color: Bronze

BJB Switch included

Three-phase track

Mini 1xGU10 LED bulb, without bulb



WALL MINIMO 2 WH

Type: Wall light
Material: Aluminium, IP20
Color: Sand white
 BJB Switch included
 Mini 2xGU10 LED bulb, without bulb



WALL MINIMO 2 BK

Type: Wall light
Material: Aluminium, IP20
Color: Sand black
 BJB Switch included
 Mini 2xGU10 LED bulb, without bulb




WALL MINIMO 2 BRASS

Type: Wall light
Material: Aluminium, IP20
Color: Brass
 BJB Switch included
 Mini 2xGU10 LED bulb, without bulb



WALL MINIMO 2 BRONZE

Type: Wall light
Material: Aluminium, IP20
Color: Bronze
 BJB Switch included
 Mini 2xGU10 LED bulb, without bulb





ROTONDO MINI 100/56 BRASS

Type: Ceiling/surface lamp
Dimension: Ø56 x H100mm
Material: Aluminium, IP20
Color: Brass
 1xGU10, MAX 50W, without bulb



ROTONDO MINI 100/56 BRONZE

Type: Ceiling/surface lamp
Dimension: Ø56 x H100mm
Material: Aluminium, IP20
Color: Bronze
 1xGU10, MAX 50W, without bulb



SPOT 5010/1 BRASS

Type: Ceiling lamp
Dimension: Ø56 x H140mm
Material: Aluminium, IP20
Color: Brass, black canopy
 1xGU10 LED bulb, without bulb



SPOT 5010/1 BRONZE

Type: Ceiling lamp
Dimension: Ø56 x H140mm
Material: Aluminium, IP20
Color: Bronze, black canopy
 1xGU10 LED bulb, without bulb



SPOT 1S BRASS

Type: Wall lamp

Dimension: D120x Ø56 x H126mm

Material: Aluminium, IP20

Color: Brass, sand black

BJB Switch included

1xGU10, without bulb



SPOT 1S BRONZE

Type: Wall lamp

Dimension: D120x Ø56 x H126mm

Material: Aluminium, IP20

Color: Bronze, sand black

BJB Switch included

1xGU10, without bulb

SPOT 2 BRASS



Type: Ceiling lamp

Dimension: D240 x Ø55 x H131mm

Material: Aluminium, IP20

Color: Brass, sand black

2xGU10 LED bulbs, without bulbs

SPOT 3 BRASS



Type: Ceiling lamp

Dimension: D430 x Ø55 x H131

Material: Aluminium, IP20

Color: Bronze, sand black

3xGU10 LED bulbs, without bulbs

SPOT 4 BRASS



Type: Ceiling lamp

Dimension: D680 x Ø56 x H131mm

Material: Aluminium, IP20

Color: Bronze, sand black

4xGU10 LED bulbs, without bulbs





IR Tuks



ST-G130UFOA

Type: LED bulb
Socket: E27, G130
Power: 4W
Color temperature: 2700K, dimmable
Color: Amber glass



Skeniraj za
energetsku
naljepnicu i
informacijski
list



ST-G130MRA

Type: LED bulb
Socket: E27, G125
Power: 4W
Color temperature: 2700K, dimmable
Color: Amber glass



Skeniraj za
energetsku
naljepnicu i
informacijski
list



ST-G125TRA

Type: LED bulb
Socket: E27, G125
Power: 4W
Color temperature: 2700K, dimmable
Color: Amber glass



Skeniraj za
energetsku
naljepnicu i
informacijski
list



LF-L500ESCL

Type: LED 500mm linear bulb
Socket: E27, G130
Power: 6W
Color temperature: 2700K, dimmable
Color: Clear glass



Skeniraj za
energetsku
naljepnicu i
informacijski
list



LF-L500ESA

Type: LED 500mm linear bulb
Socket: E27, G130
Power: 6W
Color temperature: 2500K, dimmable
Color: Amber glass



Skeniraj za
energetsku
naljepnicu i
informacijski
list



A60TSF

Type: LED filament bulb, 0.6mm thickness

Socket: E27, A60

Power: 4W

Color temperature: 2700K, dimmable

Color: Amber glass



Skeniraj za
energetsku
naljepnicu i
informacijski
list



C35TSF

Type: LED filament bulb, 0.6mm thickness

Socket: E14, T45

Power: 3W

Color temperature: 2700K, dimmable

Color: Amber glass



Skeniraj za
energetsku
naljepnicu i
informacijski
list



T45TSF

Type: LED filament bulb, 0.6mm thickness

Socket: E27, T45

Power: 4W

Color temperature: 2700K, dimmable

Color: Amber glass



Skeniraj za
energetsku
naljepnicu i
informacijski
list



ST64TSF

Type: LED filament bulb, 0.6mm thickness

Socket: E27, ST64

Power: 6W

Color temperature: 2700K, dimmable

Color: Amber glass



Skeniraj za
energetsku
naljepnicu i
informacijski
list



T30TSF

Type: LED filament bulb, 0.6mm thickness

Socket: E27, T30

Power: 4W

Color temperature: 2700K, dimmable

Color: Amber glass



Skeniraj za
energetsku
naljepnicu i
informacijski
list





AL445-A BRASS



Type: Pendant light
Dimension: D120xH570mm
Material: Iron, glass, IP20
Color: Brass, opal glass
Canopy: Ø70mm, 1.2m PVC cable
 220-240V, 6W, 3000K



AL445-A BLACK



Type: Pendant light
Dimension: D120xH570mm
Material: Iron, glass, IP20
Color: Black, opal glass
Canopy: Ø70mm, 1.2m PVC cable
 220-240V, 6W, 3000K



AG5044-W-S BRASS

Type: Wall light
Dimension: 110x116x280mm
Material: Iron, glass, IP20
Color: Brass
 1xG9, max 5W



AG5044-W-S BLACK

Type: Wall light
Dimension: 110x116x280mm
Material: Iron, glass, IP20
Color: Black
 1xG9, max 5W



AL6092-40 BRASS



Type: Pendant light
Dimensions: 20x400mm
Material: Aluminium, IP20
Color: Brass
 1.2m PVC cable, 3W, 3000K



AL6092-40 BLACK



Type: Pendant light
Dimensions: 20x400mm
Material: Aluminium, IP20
Color: Black
 1.2m PVC cable, 3W, 3000K



AL446-20

Type: Pendant light

Dimension: 200x250mm

Material: Aluminium, silicone, IP20

Color: Black, plating brass ring, brass canopy
220-240V, 10W, 3000K



AL446-40

Type: Pendant light

Dimension: 400x450mm

Material: Aluminium, silicone, IP20

Color: Black, plating brass ring, brass canopy
220-240V, 12W, 3000K



AL446-60

Type: Pendant light

Dimension: 600x650mm

Material: Aluminium, silicone, IP20

Color: Black, plating brass ring, brass canopy
220-240V, 24W, 3000K



AL6001

Type: Pendant light

Dimension: 120x480mm, 1.2m PVC cable

Material: Aluminium, silicone, IP20

Color: Black, plating brass ring, brass canopy
220-240V, 12W, 3000K



AL448-40



Type: Ceiling light

Dimension: 400x60mm

Material: Aluminium, silicone, IP20

Color: Black, brass ring
220-240V, 12W, 3000K



AL448-60



Type: Ceiling light

Dimension: 600x60mm

Material: Aluminium, silicone, IP20

Color: Black, brass ring
220-240V, 24W, 3000K



AL451-20



Type: Wall light

Dimension: 200x60x230mm

Material: Aluminium, IP20

Color: Black, brass ring
220-240V, 10W, 3000K



AL451-30



Type: Wall light

Dimension: 300x60x330mm

Material: Aluminium, IP20

Color: Black, brass ring
220-240V, 12W, 3000K



AL451-80



Type: Wall light

Dimension: 800x60x830mm

Material: Aluminium, IP20

Color: Black, brass ring
220-240V, 32W, 3000K





AL423-B GOLD

Type: Pendant light

Dimension: 500mm, 1.5m steel wire

Material: Aluminium, silicone IP20

Color: Gold

220-240V, 28W, 3000K



AL423-B BLACK

Type: Pendant light

Dimension: 500mm, 1.5m steel wire

Material: Aluminium, silicone, IP20

Color: Black

220-240V, 28W, 3000K



AL6020 GOLD

Type: Pendant light

Dimension: 1000x220mm, 1m steel wire

Material: Aluminium, silicone, IP20

Color: Gold

220-240V, 24W, 3000K



AL6020 BLACK

Type: Pendant light

Dimension: 1000x220mm, 1m steel wire

Material: Aluminium, silicone, IP20

Color: Black

220-240V, 24W, 3000K






AL6192-W GOLD

Type: Wall light

Material: Aluminium, silicone, IP20

Color: Gold

220-240V, 9W, 3000K




AL6192-W BLACK

Type: Track light

Material: Aluminium, silicone, IP20

Color: Black

220-240V, 9W, 3000K




AL6191-C BRASS

Type: Ceiling light

Material: Aluminium, silicone, IP20

Color: Brass

220-240V, 17W, 3000K



AL6191-C BLACK


Type: Ceiling light

Material: Aluminium, silicone, IP20

Color: Black

220-240V, 17W, 3000K





AL6189-W30 BLACK
AL6189-W60 BLACK

Type: Wall light

Material: Aluminium, acrylic, IP20

Dimensions:

AL6189-W30 BLACK 80x35x300mm (220-240V, 9W)

AL6189-W30 BLACK 80x35x600mm (220-240V, 10W)

Color: Black

3000K



AL6189-W30 BRASS
AL6189-W60 BRASS

Type: Wall light

Material: Aluminium, acrylic, IP20

Dimensions:

AL6189-W30 BLACK 80x35x300mm (220-240V, 9W) 3000K

AL6189-W30 BLACK 80x35x600mm (220-240V, 10W) 3000K

Color: Brass



AL418L-120

Type: Pendant light

Dimension: 17x1200mm, 1.2m PVC cable

Material: Aluminium, acrylic IP20

Color: Black

220-240V, 12W, 3000K





AL6119-W

Type: Wall light

Dimension: 50x100x400mm

Material: Aluminium, iron, silicone, IP20

Color: Gold

220-240V, 5W, 3000K



AL6153-W-C

Type: Ceiling/wall light

Dimension: 120x40x350mm

Material: Aluminium, iron, silicone, IP20

Color: Gold

220-240V, 9W, 3000K



AL6190-C BRASS

Type: Ceiling light

Material: Aluminium, silicone, IP20

Color: Brass

220-240V, 9W, 3000K




AL6190-C BLACK

Type: Ceiling light


Material: Aluminium, silicone, IP20

Color: Black

220-240V, 9W, 3000K







LM-L1001-3
GOLD


Type: Pendant lamp

Material: Aluminium, IP20

Color: Gold

Beam angle: 36°

18W, 36V, 2700/4500/6000K changeable



LM-L1001-4
GOLD

Type: Pendant lamp

Material: Aluminium, IP20

Colors: Gold

Beam angle: 36°

24W, 36V, 2700/4500/6000K changeable



LM-L1001-5
GOLD

Type: Pendant lamp


Material: Aluminium, IP20

Colors: Gold

Beam angle: 36°

30W, 36V, 2700/4500/6000K changeable





LM-L1001-3
STARRY SKY
GREY

Type: Pendant lamp

Material: Aluminium, IP20

Color: Starry sky grey

Beam angle: 36°

18W, 36V, 2700/4500/6000K changeable



LM-L1001-4
STARRY SKY
GREY

Type: Pendant lamp

Material: Aluminium, IP20

Colors: Starry sky grey

Beam angle: 36°

Cable: 2m

24W, 36V, 2700/4500/6000K changeable



LM-L1001-5
STARRY SKY GREY

Type: Pendant lamp


Material: Aluminium, IP20

Colors: Starry sky grey

Beam angle: 36°

30W, 36V, 2700/4500/6000K changeable





LM-L1001-3
CARBON FIBER


Type: Pendant lamp

Material: Aluminium, IP20

Color: Carbon fiber

Beam angle: 36°

18W, 36V, 2700/4500/6000K changeable



LM-L1001-4
CARBON FIBER


Type: Pendant lamp

Material: Aluminium, IP20

Colors: Carbon fiber

Beam angle: 36°

24W, 36V, 2700/4500/6000K changeable



LM-L1001-5
CARBON FIBER

Type: Pendant lamp


Material: Aluminium, IP20

Colors: Carbon fiber


Beam angle: 36°

30W, 36V, 2700/4500/6000K changeable






Dimensions: LM-L1001-3



Dimensions: LM-L1001-4




Dimensions: LM-L1001-5





TORTO ROUND
Matt black Φ209

Type: Round bulkhead
Dimension: 209x198x90mm
Material: Aluminium body with glass diffuser
Color: Matt black
IP44, Class I
E27 Max.60w , 220-240V~ 50/60Hz




TORTO ROUND
Rusty brown Φ209

Type: Round bulkhead
Dimension: 209x198x90mm
Material: Aluminium body with glass diffuser
Color: Rusty brown
IP44, Class I
E27 Max.60w , 220-240V~ 50/60Hz



TORTO ROUND
Matt black Φ260

Type: Round bulkhead
Dimension: 260x250x110mm
Material: Aluminium body with glass diffuser
Color: Matt black
IP44, Class I
E27 Max.60w , 220-240V~ 50/60Hz




TORTO ROUND
Rusty brown Φ260

Type: Round bulkhead
Dimension: 260x250x110mm
Material: Aluminium body with glass diffuser
Color: Rusty brown
IP44, Class I
E27 Max.60w , 220-240V~ 50/60Hz



TORTO OVAL
Matt black 122x200

Type: Oval bulkhead
Dimension: 200x122x90mm
Material: Aluminium body with glass diffuser
Color: Matt black
IP44, Class I
E27 Max.40w , 220-240V~ 50/60Hz




TORTO OVAL
Rusty brown 122x200

Type: Oval bulkhead
Dimension: 200x122x90mm
Material: Aluminium body with glass diffuser
Color: Rusty brown
IP44, Class I
E27 Max.40w , 220-240V~ 50/60Hz



TORTO OVAL
Matt black 160x250

Type: Oval bulkhead
Dimension: 250x160x106mm
Material: Aluminium body with glass diffuser
Color: Matt black
IP44, Class I
E27 Max.60w , 220-240V~ 50/60Hz



TORTO OVAL
Rusty brown 160x250

Type: Oval bulkhead
Dimension: 250x160x106mm
Material: Aluminium body with glass diffuser
Color: Rusty brown
IP44, Class I
E27 Max.60w , 220-240V~ 50/60Hz




UH304039 MUSHLUM

Type: LED Ceiling lamp
Dimension: $\Phi 350 \times 78 \text{ mm}$
Material: PE body with Opal PE diffuser
Color: White
 IP65, Class II, Driver on board, 3000K
 9W Epistar SMD LED
 220-240VAC, 50~60Hz




GLOW E27 IP54 ROUND

Type: Ceiling light
Dimension: $\Phi 300 \times 100 \text{ mm}$
Material: Aluminium body with opal PC diffuser
Color: Dark grey
 IP54, Class I
 E27 Max. 2x23W
 220-240V~ 50/60Hz




GLOW E27 IP54 SQUARE

Type: Oval bulkhead
Dimension: $250 \times 160 \times 106 \text{ mm}$
Material: Aluminium body with glass diffuser
Color: Dark grey
 IP54, Class I
 E27 Max. 60W
 220-240V~ 50/60Hz





SLIM LED
DGR H600



SLIM LED
DGR H300

Type: LED Wall light

Dimensions: $\Phi 45 \times 600 \times 75 \text{ mm}$
 $\Phi 45 \times 300 \times 75 \text{ mm}$

Material: Carbon fiber


Color: Dark grey

2x3W, COB LED

220-240V~ 50/60Hz

IP65, Class II

3000K



BAR LED
DGR 63cm



BAR LED
DGR 123cm

Type: LED Wall light

Dimensions: $1230 \times 105 \times 63 \text{ mm}$
 $630 \times 58 \times 63 \text{ mm}$

Material: Aluminium body with opal PC diffuser

Color: Dark grey

18W SMD LED

220-240V~ 50/60Hz

IP54 Class I,

3000K





BRICK LED DGR



Type: LED Wall light

Dimension: 170x105x53mm


Material: Aluminium body with opal PC diffuser

Color: Dark grey

10W, SMD LED, 3000K

220-240V~ 50/60Hz

IP65, Class I



REDOR LED DGR S



Type: LED Wall light with sensor

Dimension: 110x200x63mm


Material: Aluminium body with opal PC diffuser

Color: Dark grey

6W, SMD LED, 3000K

220-240V~ 50/60Hz

IP44, Class I



EAVES LED DGR



Type: LED Wall light

Dimension: 210x63x80mm


Material: Aluminium body with opal PC diffuser

Color: Dark grey

9W, SMD LED, 3000K

220-240V~ 50/60Hz

IP54, Class I



EAVES LED DGR PIR



Type: LED Wall light with PIR

Dimension: 210x63x80mm


Material: Aluminium body with opal PC diffuser

Color: Dark grey

9W, SMD LED, 3000K

220-240V~ 50/60Hz

IP54, Class I





FLEXI LED DGR



Type: Up down LED Wall light


Dimension: 120x200x120mm

Material: Aluminium body with glass diffuser

Color: Dark grey

2x5W, COB LED, 3000K

220-240V~ 50/60Hz, IP65, Class I



WING LED DGR



Type: LED Wall light

Dimension: 345x115x100mm


Material: Aluminium body with opal PC diffuser

Color: Dark grey

18W, SMD LED, 3000K

220-240V~ 50/60Hz

IP54, Class I, Driver on board



RIPS LED DGR round



Type: LED Step light


Dimension: Ø140x15x33mm

Material: Aluminium body with PC diffuser

Color: Dark grey

3W, SMD LED, 3000K

220-240V~ 50/60Hz, IP65, Class II



RIPS LED DGR
square 140x33x140



Type: LED Step light


Dimension: 140x33x140mm

Material: Aluminium body with PC diffuser

Color: Dark grey

3W, SMD LED, 3000K

220-240V~ 50/60Hz, IP65, Class II



RIPS LED DGR
square 190x95x34



Type: LED Step light


Dimension: 190x33x95mm

Material: Aluminium body with PC diffuser

Color: Dark grey

4W, SMD LED, 3000K

220-240V~ 50/60Hz, IP65, Class II





BEACON LED 3W
IP54 3K DGR round

Type: LED Step light

Dimension: $\Phi 110 \times 22 \text{ mm}$


Material: Aluminium body with opal PC diffuser

Color: Dark grey

IP54, Class I, Driver on board, 3000K

3W, SMD LED

220-240VAC, 50~60Hz



BEACON LED 3W IP54
3K DGR square

Type: LED Step light

Dimension: $105 \times 105 \times 22 \text{ mm}$

Material: Aluminium body with opal PC diffuser



Color: Dark grey

IP54, Class I

Driver on board, 3000K

3W, SMD LED

220-240VAC, 50~60Hz



BEACON LED 6W IP54
3K DGR

Type: LED Step light

Dimension: $210 \times 108 \times 25 \text{ mm}$

Material: Aluminium body with opal PC diffuser


Color: Dark grey

IP54, Class I

Driver on board, 3000K

6W, SMD LED

220-240VAC, 50~60Hz





Type: LED Bollard light

Dimensions: 800x100x100mm
600x100x100mm


Material: Aluminium body with opal PC diffuser

Color: Dark grey

IP54, Class I, 3000K

10W, SMD LED

220-240VAC, 50~60Hz



EAVES LED 10W IP54 3K DGR 80cm

EAVES LED 10W IP54 3K DGR 60cm



Type: LED Bollard light

Dimensions: 700x137x38mm


Material: Aluminium body with PC diffuser

Color: Dark grey


IP65, Class I, 3000K

8W, SMD LED


220-240VAC, 50~60Hz



RIPS LED 8W IP65 3K DGR 70cm



MANO-C-400/40 SWH CCT



MANO-C-300/30 SWH CCT

Type: Ceiling lamp

Dimensions: $\Phi 300 \times H150$
 $\Phi 400 \times H180$

Material: Aluminium

Color: Sandy White

Power: 30W

Color temperature: 3000K/4000K
3CCT by dip switch + ON/OFF
IP20



MANO-C-400/40 BGD CCT



MANO-C-300/30 BGD CCT

Type: Ceiling lamp

Dimensions: $\Phi 300 \times H150$
 $\Phi 400 \times H180$

Material: Aluminium

Color: Brushed gold

Power: 30W

Color temperature: 3000K/4000K
3CCT by dip switch + ON/OFF
IP20



MANO-C-400/40 SBK CCT



MANO-C-300/30 SBK CCT

Type: Ceiling lamp

Dimensions: $\Phi 300 \times H150$
 $\Phi 400 \times H180$

Material: Aluminium

Color: Sandy black

Power: 30W

Color temperature: 3000K/4000K
3CCT by dip switch + ON/OFF
IP20





Type: Pendant lamp (with lifting function)

Dimension: 1200*350*2000mm

Material: Aluminium

Color: Sandy black

Power: 80W

Color temperature: 3000K/4000K

3CCT by dip switch + ON/OFF

IP20



DISCENDENTE-P-1200/80 SBK CCT



Type: Pendant lamp (with lifting function)

Dimension: 1200*350*2000mm

Material: Aluminium

Color: Sandy white

Power: 80W

Color temperature: 3000K/4000K

3CCT by dip switch + ON/OFF

IP20



DISCENDENTE-P-1200/80 SWH CCT



LED-A-E27-3,5W-3000K-100°

Type: LED Bulb
Dimension: 35x45mm
Color: Black ring
Socket: E27
Voltage: 220-240V~ 50/60Hz
Power: 3,5W
Color temperature: 3000K
 Flat diffusor, non-dimmable



Skeniraj za
energetsku
naljepnicu i
informacijski
list



LED-A-E27-3,5W-4000K-100°

Type: LED Bulb
Dimension: 35x45mm
Color: Black ring
Socket: E27
Voltage: 220-240V~ 50/60Hz
Power: 3,5W
Color temperature: 4000K
 Flat diffusor, non-dimmable



Skeniraj za
energetsku
naljepnicu i
informacijski
list



ST127B

Type: Touch dimmable sensor
Dimension: $\Phi 50 \times 6,1$ mm
Color: White
Voltage: 12-24V DC
Rated load: max 60W
Dimming range: 10-100%
Wood/glass thickness: up to 40mm